



Phone: (403) 851 1900
E-mail: info@flexreeltrailers.com

FR-5 Series Self-loading reel trailer





Phone: (403) 851 1900
E-mail: info@flexreeltrailers.com

FR-5 Series Self-loading reel trailer





Phone: (403) 851 1900
E-mail: info@flexreeltrailers.com

FR-5 Series Self-loading reel trailer





Phone: (403) 851 1900
E-mail: info@flexreeltrailers.com

FR-5 Series Self-loading reel trailer





Phone: (403) 851 1900
E-mail: info@flexreeltrailers.com

FR-5 Series Self-loading reel trailer





Phone: (403) 851 1900
E-mail: info@flexreeltrailers.com

FR-5 Series Self-loading reel trailer

FlexReel provides solutions for handling Wire reels and Poly Pipe on steel or wooden reels or any other coiled product.

- Easy and safe to operate
- Good for on/off highway towing
- Self loading with hydraulic controls
- Fully self contained gas powered hydraulic pump unit
- Heavy duty and durable design

Flex Reel saves time and money during the installation of your coiled pipeline project.



Phone: (403) 851 1900
 E-mail: info@flexreeltrailers.com

FR-5 Series Self-loading reel trailer

FR-5 Series Specifications		
Trailer weight (without load):	1,134kg	2,500lbs
Trailer height: without reel	2.60m	8.5ft
Trailer height: with 3.05m (10ft) diameter reel	3.81m	12.5ft
Trailer width:	2.44m	8ft
Trailer length:	5.64m	18.5ft
Trailer gross axle weight rating: per axle	2,720kg	6,000lbs
Trailer gross axle weight rating: total for tandem	5,440kg	12,000lbs
Maximum reel weight:	2,722 kg	6,000lbs
Maximum reel diameter:	3.05m	10ft
Maximum reel width:	1.22 m	4ft
Maximum transport speed: without reel	100km/hr	60mph
Maximum transport speed: with reel	50km/hr	30mph